Aquaculture Research

Volume 32
Pages 1–1022

Blackwell
Science

Published by Blackwell Science
Editorial Offices:
Blackwell Science Ltd. 23 Ainslie Place. Edinburgh EH3 6AJ. UK
Blackwell Science Ltd. 25 John Street. London WC1N 2BL. UK
Blackwell Science Ltd. Osney Mead. Oxford OX2 0EL. UK
Blackwell Science Asia Pty. 54 University Street (PO Box 378). Carlton South. Victoria 3053. Australia
Blackwell Science Europe Ltd. 10 rue Casimir Delavigne. F-75006 Paris. France
Blackwell Wissenschafts-Verlag GmbH. Kurfürstendamm 57. D-10707 Berlin. Germany
Blackwell Science KK. MG Kodenmacho Building. 3F. 7–10 Kodenmacho Nihombashi. Chuo-ku. Tokyo 103-0001. Japan
Blackwell Science Inc.. Suite 500. 5th Floor. 238 Main Street. Cambridge. MA 012142. USA

© 2001 Blackwell Science Ltd

Authorization to photocopy for internal or personal use or for the internal or personal use of specific clients is granted by Blackwell Science Ltd for libraries and other users registered within the Copyright Clearance Center (CCC) Transactional Reporting Service, provided that the base fee of $15.00 per copy is paid directly to CCC. 222 Rosewood Drive. Suite 910. Danvers. MA 01923. USA. This consent does not extend to other kinds of copying. such as copying for general distribution for advertising or promotional purposes. for creating new collective works or for resale. Special requests should be addressed to the Editors. *Aquaculture Research* 1355-557X/00 $15.00.

ISSN 1355-557X

Typeset and printed by Information Press. Oxford

Contents

Volume 32, Number 1, January 2001

1 Microstructure and texture of fresh and smoked Atlantic salmon, *Salmo Salar* L., fillets from fish reared and slaughtered under different conditions *S Sigurgisladottir, M S Sigurdardottir, H Ingvarsdottir, O J Torrissen and H Hafsteinsson*

11 Artificial spawning of European catfish *Silurus glanis* L.: differences between propagation results after stimulation of ovulation with carp pituitary and Ovopel *E Brzuska*

21 Genetic basis of pectoral fin deformities in the African catfish *Clarias gariepinus* (Burchell, 1822), *Heterobranchus longifilis* (Valenciennes 1840) and their hybrids *P O Aluko, J I Awopetu and A O Adeola*

29 Low-temperature preservation (at 4°C) of marine rotifer *Brachionus M Assavaaree, A Hagiwara, K Ide, K Maruyama and E Lubzens*

41 Genetic variability in four hatchery strains of coho salmon, *Oncorhynchus kisutch* (Walbaum), in Chile *L A Pérez, F M Winkler, N F Díaz, C Cárcamo and N Silva*

47 Tagging: on the use of passive integrated transponder (PIT) tags for the identification of fish *K Das Mahapatra, B Gjerde, P V G K Reddy, M Sahoo, R K Jana, J N Saha and M Rye*

51 A study of the dynamics of volume changes during the period of active motility in carp, *Cyprinus carpio* L., spermatozoa *B B Dzuba, G A Bozhok and S V Rudenko*

57 Evaluation of silver perch (*Bidyanus bidyanus*, Mitchell) nutritional requirements during grow-out with high and low protein diets at two feeding levels *S Harpaz, H Jiang and D Sklan*

65 Statistical aspects of aquaculture research: optimum block size in pond experiments *T S Smart, J Riley and D C Little*

Short communication

77 Preliminary trials on the efficacy and toxicity of ivermectin against *Lernathropus kroyeri* Van Beneden, 1851 in cultured sea bass *Dicentrarchus labrax* L. *F Athanassopoulou, V Ragias, J Tavla, P Christofilogiannis and N Liberis*

Volume 32, Number 2, February 2001

81 Larval growth, survival and development of *Metapenaeus monoceros* (Fabricius) cultured in different salinities *M Kumlu, O T Eroldogan, M Aktas and B Sağlamtimur*

87 Transport stress in Atlantic salmon (*Salmo salar* L.): anaesthesia and recovery *R Sandodden, B Finstad and M Iversen*

91 Could a diet enriched with n-3 highly unsaturated fatty acids be considered a promising way to enhance the immune defences and the resistance of *Penaeid* prawns to environmental stress? *L Chim, P Lemaire, M Delaporte, G Le Moullac, R Galois and J L M Martin*

95 Digestive protease characterization, localization and adaptation in blacklip abalone (*Haliotis rubra* Leach) *S Edwards and C Condon*

103 The effect of feed pigment type on flesh pigment deposition and colour in farmed Atlantic salmon, *Salmo salar* L. *L G Buttle, V O Crampton and P D Williams*

113 Assessment of sex and evaluation of ovarian maturation of fish using ultrasonography *D J Martin-Robichaud and M. Rommens*

121 Plasma levels of cortisol and glucose in response to capture and tank transference in *Rhamdia quelen* (Quoy & Gaimard), a South American catfish *L J G Barcellos, V M Woehl, G F Wassermann, R M Quevedo, I Ittzés and M H Krieger*

125 Stimulating effects of pond water on digestive enzyme activity in the Pacific white shrimp, *Litopenaeus vannamei* (Boone) *S M Moss, S Divakaran and B G Kim*

133 Larval growth of turbot, *Scophthalmus maximus* (L.) produced with fresh and cryopreserved sperm *O Chereguini, I G de la Banda, I Rasines and A Fernandez*

145 Effect of different chilling rates for cold anaesthetization of *Penaeus monodon* (Fabricius) on the survival, duration and sensory quality under live storage in chilled sawdust *K R Salin and K Jayasree-Vadhyar*

Volume 32, Number 3, March 2001

157 Quantifying the dietary niacin requirement of the Indian catfish, *Heteropneustes fossilis* (Bloch), fingerlings *J Shaik Mohamed and A Ibrahim*

163 Successful early weaning of Atlantic halibut (*Hippoglossus hippoglossus* L.) in small shallow raceway systems *T Næss, K Hamre and J C Holm*

169 Activity patterns of abalone under experimental conditions *K Nakamura and M Vazquez Archdale*

181 The effectiveness of a commercial microbial product in poorly prepared tiger shrimp, *Penaeus monodon* (Fabricius), ponds *M Shariff, F M Yusoff, T N Devaraja and P S Srinivasa Rao*

189 Use of artificial substrates to enhance production of freshwater herbivorous fish in pond culture *P Keshavanath, B Gangadhar, T J Ramesh, J M van Rooij, M C M Beveridge, D J Baird, M C J Verdegem and A A van Dam*

199 Effect of enriched live feeds on survival and growth rates in larval Korean rockfish, *Sebastes schlegeli* Hilgendorf *S H Cho, S B Hur and J-Y Jo*

209 The potential of periphyton-based culture of two Indian major carps, rohu *Labeo rohita* (Hamilton) and gonia *Labeo gonius* (Linnaeus) *M E Azim, M A Wahab, A A van Dam, M C M Beveridge and M C J Verdegem*

217 Gustatory sensitivity of the external taste buds of *Oreochromis niloticus* L. to amino acids *S Y Yacoob, K Anraku, T Marui, T Matsuoka, G Kawamura and M Vazquez Archdale*

223 *In vitro* screening of novel treatments for *Aphanomyces invadans R E Campbell, J H Lilley, Taukhid, V Panyawachira and S Kanchanakhan*

235 Radiological examination of the spinal column in farmed rainbow trout *Oncorhynchus mykiss* (Walbaum): experiments with *Flavobacterium psychrophilum* and oxytetracycline *L Madsen, J Arnbjerg and I Dalsgaard*

243 Use of GABA to enhance rotifer reproduction in enrichment culture *W G Gallardo, A Hagiwara and T W Snell*

247 Growth trials for polyculture of hatchery-reared juvenile spotted babylon (*Babylonia areolata*) and sea bass (*Lates calcarifer*) in a flow-through seawater system *N Chaitanawisuti, A Kritsanapuntu, S Kathinmai and Y Natsukari*

Volume 32, Number 4, April 2001

251 Differences between Atlantic halibut (*Hippoglossus hippoglossus* L.) and turbot (*Scophthalmus maximus* L.) in tolerance to acute low temperature exposure *M Staurnes*

257 Effect of different diets on growth and digestive enzyme activity in *Litopenaeus vannamei* >(*Boone, 1931*) *early post-larvae R Brito, C Rosas, M E Chimal and G Gaxiola*

267 Nuclear transfer in loach (*Paramisgurnus dabryanus* Sauvage) by cell-to-cell electrofusion *F Hongtuo and W Chingjiang*

277 Estimates of genetic and phenotypic parameters for length and weight of marine net-pen reared coho salmon (*Oncorhynchus kisutch* Walbaum) *J M Myers, W K Hershberger, A M Saxton and R N Iwamoto*

287 Individual heterozygosity levels and relative growth performance in *Oreochromis niloticus* (L.) cultured under Fijian conditions *S A Appleyard, J M Renwick and P B Mather*

297 Salt as a stress response mitigator of matrinxã *Brycon cephalus* (Günther), during transport *P C F Carneiro and E C Urbinati*

305 Effect of high water temperature on the survival, moulting and food consumption of *Penaeus (Marsupenaeus) japonicus* (Bate, 1888) *D R Hewitt and P F Duncan*

315 Myosin expression levels in trout muscle: a new method for monitoring specific growth rates for rainbow trout *Oncorhynchus mykiss* (Walbaum) on varied planes of nutrition *K Overturf and R W Hardy*

Volume 32, Number 5, May 2001

323 Effects of immersion of larvae in oestradiol-17β on feminization, structural changes of gonad and growth performance in the Far Eastern catfish *Silurus asotus* (Linnaeus) *D S Kim, H J Cho, I C Bang, G C Choi and Y K Nam*

329 Experimental evaluation of mass selection to improve red body colour in Fijian hybrid tilapia (*Oreochromis niloticus x Oreochromis mossambicus*) *P B Mather, S N Lal and J Wilson*

337 Estimating digestible protein requirements of silver perch, *Bidyanus bidyanus* Mitchell *G L Allan, R J Johnson, M A Booth and D A J Stone*

349 Effects of variable feed allowance with constant energy and ratio of energy to protein in a diet for constant protein input on the growth of common carp *Cyprinus carpio L. S H Cho, J-Y Jo and D S Kim*

357 Artificial spawning of carp (*Cyprinus carpio* L.): the use of Aquaspawn and carp pituitary to induce ovulation in females of Lithuanian line B *E. Brzuska*

365 The effect of different numbers of feeding days on feed consumption and growth of rainbow trout [*Oncorhynchus mykiss* (Walbaum)] *I Okumus and N Bascinar*

369 The influence of rearing temperature on early development and growth of spotted wolffish *Anarhichas minor* (Olafsen) *T K Hansen and I B Falk-Petersen*

379 Validation of an ovarian biopsy method in a sea bass, *Centropomus medius* Günther *L Alvarez-Lajonchère, D Guerrero-Tortolero and J C Perez-Urbiola*

385 Effects of bicarbonate ions and pH on acquisition and maintenance of potential for motility in ayu, *Plecoglossus altivelis* Temminck et Schlegel (Osmeridae), spermatozoa *H Ohta, T Unuma, M Tsuji, M Yoshioka and M Kashiwagi*

393 The effect of animal size on the ability of *Haliotis midae* L. to utilize selected dietary protein sources *T A Shipton and P J Britz*

405 The toxicity of the antiparasitic mixture FMC is changed by humic substances and calcium *T Meinelt, R Playle, K Schreckenbach and M Pietrock*

411 Meat yields in the introduced freshwater crayfish, *Pacifastacus leniusculus* (Dana) and *Astacus leptodactylus* Eschscholtz, from British waters *M M Harlioğlu and D M Holdich*

Volume 32, Number 6, June 2001

419 Editorial *M Jobling*

421 A framework for the study of macronutrient intake in fish *S J Simpson and D Raubenheimer*

433 Effects of dietary water content on meal size, daily food intake, digestion and growth in turbot, *Scophthalmus maximus* (L.) *D Grove, R Genna, V Paralika, J Boraston, M G Hornyold and R Siemens*

443 Dynamics of appetite in three fish species (*Gasterosteus aculeatus, Phoxinus phoxinus* and *Carassius auratus gibelio*) after feed deprivation *M Ali, Y Cui, X Zhu and R J Wootton*

451 Fat content in turbot feed: influence on feed intake, growth and body composition *B-S Sæther and M Jobling*

459 The effect of feed supply rate on growth of juvenile perch (*Perca fluviatilis*) *J-E Juell and O I Lekang*

465 A test of a feed budget model for rainbow trout, *Oncorhynchus mykiss* (Walbaum) *J Bailey and A Alanärä*

471 Feeding behaviour of fast- and slow-growing strains of rainbow trout, *Oncorhynchus mykiss* (Walbaum), during first feeding *L M P Valente, P Saglio, L M Cunha and B Fauconneau*

481 Prey selectivity in planktivorous juvenile fishes associated with floating objects in the western Mediterranean *S Deudero and B Morales-Nin*

Short communications

491 *In situ* study of gastric emptying using X-radiography and macrocapsules *K Ruohonen and D J Grove*

495 Density effects on food intake and growth of largemouth bass (*Micropterus salmoïdes*) *G Petit, M Beauchaud and B Buisson*

499 Effects of graded environmental hypercapnia on sea bass (*Dicentrarchus labrax* L.) feed intake and acid-base balance *S Cecchini, M Saroglia, G Caricato, G Terova and L Sileo*

503 The acute effect of cortisol implant on self-feeding activity of rainbow trout *Oncorhynchus mykiss* (Walbaum) *T Lyytikäinen and K Ruohonen*

Volume 32, Number 7, July 2001

507 Covariation between diploid and triploid progenies from common breeders in rainbow trout, *Oncorhynchus mykiss* (Walbaum) *J M Blanc, H Poisson and F Vallée*

517 Protein to carbohydrate ratio in high-energy diets for Atlantic salmon (*Salmo salar* L.) *M Hillestad, F Johnsen and T Åsgård*

531 Effect of dietary protein and energy levels on growth, oxygen consumption, haemolymph and digestive gland carbohydrates, nitrogen excretion and osmotic pressure of *Litopenaeus vannamei* (Boone) and *L. setiferus* (Linne) juveniles (Crustacea, Decapoda; Penaeidae) *C Rosas, G Cuzon, G Taboada, C Pascual, G Gaxiola and A Van Wormhoudt*

549 Growth and survival of Arcto-Norwegian and Norwegian coastal cod larvae (*Gadus morhua* L.) reared together in mesocosms under different light regimes *T van der Meeren and K E Jørstad*

565 Influence of preservation techniques and freezing storage time on biochemical composition and spectrum of fatty acids of *Isochrysis galbana* clone T-ISO *J M F Babarro, M J Fernández Reiriz and U Labarta*

573 Ovarian maturation and haemolymphatic vitellogenin concentration of Pacific white shrimp *Litopenaeus vannamei* (Boone) fed increasing levels of total dietary lipids and HUFA *R Wouters, X Piguave, L Bastidas, J Calderón and P Sorgeloos*

583 Dietary microbial phytase supplementation and the utilization of phosphorus, trace minerals and protein by rainbow trout [*Oncorhynchus mykiss* (Walbaum)] fed soybean meal-based diets *S H Sugiura, J Gabaudan, F M Dong and R W Hardy*

593 Consistency of stress response to repeated handling in the gilthead sea bream *Sparus aurata* Linnaeus, 1758 *L Tort, D Montero, L Robaina, H Fernández-Palacios and M S Izquierdo*

599 Effects of enriched *Artemia nauplii* on production, survival and growth of the mysid shrimp *Mysidopsis almyra* Bowman 1964 (Crustacea: Mysidacea) *P M Domingues, P E Turk, J P Andrade and P G Lee*

Short communication

605 Appropriation of environmental goods and services by aquaculture: a reassessment employing the ecological footprint methodology and implications for horizontal integration *S W Bunting*

Volume 32, Number 8, August 2001

611 Editorial *J E Halver*

615 My 50 years in fish nutrition, 1949–99 *J E Halver*

623 Ascorbic acid and reproduction in fish: endocrine regulation and gamete quality *K Dabrowski and A Ciereszko*

639 Applications of fish nutrition research in aquaculture: the Taiwan experience *S-Y Shiau*

645 Response of fish membranes to environmental temperature *T Farkas, E Fodor, K Kitajka and J E Halver*

657 Fish nutrition and the International Union of Nutritional Sciences: forming links worldwide *N Fijan*

661 Recent advances in the development of innovative chemical methods for determining the nutritional value of fish meals and aquafeeds *U Luzzana*

Volume 32, Number 9, September 2001

671 Development and evaluation of a stress challenge testing methodology for assessment of Nile tilapia (*Oreochromis niloticus*. Linn.) fry quality *A M MacNiven and D C Little*

681 Utilization and nutrient digestibility of mango seeds and palm kernel meal by juvenile *Labeo senegalensis* (Antheriniformes: Cyprinidae) *E Omoregie*

689 Effects of feeding rates on the growth, survival and feed utilization of hatchery-reared juvenile spotted babylon *Babylonia areolata* Link 1807 in a flowthrough seawater system *N Chaitanawisuti, A. Kritsanapuntu, Y. Natsukari and S. Kathinmai*

693 A partial economic analysis for Nile tilapia *Oreochromis niloticus* L. and sharptoothed catfish *Clarias gariepinus* (Burchell 1822) polyculture in central Kenya *J G Omondi, W M Gichuri and K Veverica*

701 The development of pyrethrum-based treatments against the ectoparasitic salmon lice *Lepeophtheirus salmonis* in sea cage rearing of atlantic salmon *Salmo salar* L. *K Boxaspen and J C Holm*

709 Dietary biotin requirement determined for Indian catfish, *Heteropneustes fossilis* (Bloch), fingerlings *J Shaik Mohamed*

717 Reproduction, gamete supply and larval rearing of New Zealand turbot *Colistium nudipinnis* (Waite 1910) and brill *Colistium guntheri* (Hutton 1873): potential new aquaculture species *M J Tait and R W Hickman*

727 Experimental rearing of juvenile New Zealand turbot *Colistium nudipinnis* (Waite 1910): a potential new aquaculture species *R W Hickman and M J Tait*

739 Effects of dietary inclusion of the beta-adrenergic agonist, salbutamol, on growth performance and whole-body composition of rohu *Labeo rohita* (Hamilton) fingerlings fed diets containing two protein levels *B B Satpathy, D Mukherjee and A K Ray*

749 Optimization of fertilization rate for maximizing periphyton production on artificial substrates and the implications for periphyton-based aquaculture *M E Azim, M A Wahab, A A van Dam, M C M Beveridge, A Milstein and M C J Verdegem*

761 Sensitivity of Tilapia (*Oreochromis mossambicus*) to *Clostridium botulinum* toxins *K V Lalitha and K Gopakumar*

765 Erratum

Volume 32, Number 10, October 2001

767 Quality of farmed salmonids with emphasis on proximate composition, yield and sensory characteristics – a review *R S Rasmussen*

787 The use of mangrove wetland as a biofilter to treat shrimp pond effluents: preliminary results of an experiment on the Caribbean coast of Colombia *D Gautier, J Amador and F Newmark*

801 Oyster greening by outdoor mass culture of the diatom *Haslea ostrearia* Simonsen in enriched seawater *V Turpin, J-M Robert, P Goulletquer, G Massé and P Rosa*

811 Effect of dietary protein and lipid levels and protein to energy ratios on growth, survival, and body composition of the mangrove red snapper, *Lutjanus argentimaculatus* (Forsskal 1775) *M R Catacutan, G E Pagador and S Teshima*

819 Phosphatase activity with reference to bacteria and phosphorus in tropical freshwater aquaculture pond systems *S K Barik, C S Purushothaman and A N Mohanty*

833 Preliminary observations on the tank and pond culture of the glass eels of the Australian shortfin eel, *Anguilla australis* Richardson *B A Ingram, G J Gooley, S S De Silva, B J Larkin and R A Collins*
849 Development of hatchery technology for the silver pomfret *Pampus argenteus* (Euphrasen): effect of microalgal species on larval survival *K M Al-Abdul-Elah, S Almatar, T Abu-Rezq and C M James*
861 Erratum

Volume 32, Number 11, November 2001

863 Research on abalone (*Haliotis midae* L.) cultivation in South Africa – a review *J Sales and P J Britz*
875 A dual infection by infectious cuticular epithelial necrosis virus and a *Chlamydia*-like organism in cultured *Litopenaeus vannamei* (Boone) in Ecuador *R Jimenez, R Barniol, L de Barniol and M Machuca*
885 Digestibility, growth and excretion response of rainbow trout (*Oncorhynchus mykiss* Walbaum) to feeds of different ingredient particle sizes *S Zhu, S Chen, R W Hardy and F T Barrows*
895 Contamination of palm kernel meal with *Aspergillus flavus* affects its nutritive value in pelleted feed for tilapia, *Oreochromis mossambicus H-A Lim, W-K Ng, S-L Lim and C O Ibrahim*
907 A correlation between phototactic response and first-feeding of Atlantic halibut (*Hippoglossus hippoglossus* L.) larvae *O Karlsen and A Mangor-Jensen*
913 Growth performance of *Trichogaster pectoralis* Regan in intensively cultivated rice fields *N Vromant, C Q Nam and F Ollevier*
923 Growth of young cuttlefish, *Sepia officinalis* (Linnaeus 1758) at the upper end of the biological distribution temperature range *P M Domingues, T Kingston, A Sykes and J P Andrade*
Short communication
931 Damaging effect of dietary inulin on intestinal enterocytes in Arctic charr (*Salvelinus alpinus* L.) *R E Olsen, R Myklebust, H Kryvi, T M Mayhew and E Ringø*

Volume 32, Number 12, December 2001

935 Effect of three dietary oils on disease susceptibility in Arctic charr (*Salvelinus alpinus* L.) during cohabitant challenge with *Aeromonas salmonicida* ssp. salmonicida *J B Lødemel, T M Mayhew, R Myklebust, R E Olsen, S Espelid and E Ringø*
947 Salmon lice infection of wild sea trout and Arctic char in marine and freshwaters: the effects of salmon farms *P A Bjørn, B Finstad and R Kristoffersen*
963 Weight gain and lipid deposition in Atlantic salmon, *Salmo salar*, during compensatory growth: evidence for lipostatic regulation? *S J S Johansen, M Ekli, B Stangnes and M Jobling*
975 The culture-based fisheries in small, farmer-managed reservoirs in two Provinces of northern Vietnam: an evaluation based on three production cycles *S H Nguyen, A T Bui, L T Le, T T T Nguyen and S S De Silva*
991 Production of all-female diploid and tirploid far eastern catfish, *Silurus asotus* (Linnaeus): survival and growth performance *Y K Nam, H J Cho, J H Im, I-S Park, G C Choi and D S Kim*
999 Effect of feeding time and frequency on the growth and feed utilization of African catfish *Clarias gariepinus* (Burchell 1822) fingerlings *M A R Hossain, G S Haylor and M C M Beveridge*
1005 Dietary lipid supplementation affects the body fatty acid composition but not the growth of juvenile river chub, *Zacco barbata* (Regan) *C-H Huang, W-J Shyong and W-Y Lin*
1011 Author Index
1017 Subject Index